

マグネステン®金網在庫表

2014/02/01現在

在庫	線径 φ mm	メッシュ	幅 mm	目開き mm	開孔率 %
○	1.50	2	1000	11.2	77.8
○	1.00	3	1000	7.47	77.8
○	1.00		1250	7.47	77.8
○	1.00	3.5	1000	6.26	74.3
○	1.20		1000	6.06	69.7
○	0.90	4	1000	5.45	73.7
○	0.90		1250	5.45	73.7
○	1.00		1100	5.35	71.0
○	1.00		1250	5.35	71.0
○	1.20		1000	5.15	65.8
○	1.20		1400	5.15	65.8
○	1.10	4.5	1000	4.54	64.8
○	0.80	5	1000	4.28	71.0
○	1.00		1000	4.08	64.5
○	1.00		1250	4.08	64.5
○	1.10		1000	3.98	61.4
○	0.90	5.5	1000	3.72	64.7
○	1.00		1000	3.62	61.4
○	0.70	6	1000	3.53	69.5
○	0.80		1000	3.43	65.6
○	0.80		1250	3.43	65.6
○	0.90		1000	3.33	61.9
○	1.20		1000	3.03	51.2
○	0.80	6.5	1000	3.11	63.3
○	0.90		1400	3.01	59.3
○	0.70	7	1000	2.93	65.2
○	0.70		1250	2.93	65.2
○	0.80		1000	2.83	60.8
○	1.00		1000	2.63	52.5
○	1.00	7.5	1000	2.39	49.8
○	0.50	8	1550	2.68	71.2
○	0.53		1000	2.64	69.4
○	0.57		1000	2.61	67.4
○	0.60		850	2.58	66.0
○	0.70		1000	2.48	61.0
○	0.70		1250	2.48	61.0
○	0.70		1550	2.48	61.0
○	0.80		1000	2.38	56.2
○	0.90		1000	2.28	51.6
○	1.00		1000	2.18	47.1
○	1.20		1000	1.98	38.9

マグネステン[®]金網在庫表

2014/02/01現在

在庫	線径 φ mm	メッシュ	幅 mm	目開き mm	開孔率 %	
○	0.80	9	1250	2.02	51.2	
○	0.80		1550	2.02	51.2	
○	0.40	10	1000	2.14	71.0	
○	0.50		1000	2.04	64.5	
○	0.50		1250	2.04	64.5	
○	0.50		1550	2.04	64.5	
△	0.50		2000	2.04	64.5	
○	0.57		1000	1.97	60.2	
○	0.60		1000	1.94	58.3	
○	0.60		1250	1.94	58.3	
○	0.70		1000	1.84	52.5	
○	0.70		1550	1.84	52.5	
○	0.80		1000	1.74	46.9	
○	0.80		1250	1.74	46.9	
○	0.80		1550	1.74	46.9	
○	1.00		1000	1.54	36.8	
○	0.75		10.5	1000	1.67	47.6
△	0.50		11	1000	1.81	60.8
○	0.40	12	1000	1.72	66.0	
○	0.45		1000	1.67	62.2	
○	0.47		1000	1.65	60.6	
○	0.50		1000	1.62	58.6	
○	0.50		1250	1.62	58.6	
○	0.55		1050	1.57	55.5	
○	0.55		2000	1.57	55.5	
○	0.60		1000	1.52	51.6	
△	0.70		1000	1.42	44.9	
○	0.70		1250	1.42	44.9	
○	0.70		1550	1.42	44.9	
○	1.00		12/10.2	1220	1.12/1.49	32.1
○	0.40	14	1000	1.41	60.4	
○	0.40		1220	1.41	60.4	
△	0.40		1520	1.41	60.4	
○	0.45		1250	1.36	56.2	
○	0.50		1000	1.31	52.1	
○	0.55		1000	1.26	48.2	
○	0.60		1000	1.21	44.5	
○	0.60		1250	1.21	44.5	
△	0.63		1000	1.18	42.3	
○	0.63		1530	1.18	42.3	

マグネステン®金網在庫表

2014/02/01現在

在庫	線径 φ mm	メッシュ	幅 mm	目開き mm	開孔率 %	
○	0.40	16	1000	1.19	56.2	
○	0.40		1550	1.19	56.2	
○	0.45		1000	1.14	51.6	
○	0.45		1250	1.14	51.6	
○	0.47		1000	1.12	49.6	
○	0.50		1000	1.09	47.1	
○	0.50		1550	1.09	47.1	
○	0.55		1000	1.04	42.9	
○	0.60		1000	0.988	39.5	
○	0.60		1250	0.988	39.5	
○	0.60		1550	0.988	39.5	
○	0.63		1550	0.958	36.4	
○	0.70		1550	0.888	31.3	
○	0.30		18	1000	1.11	61.9
○	0.35			1000	1.06	56.4
○	0.40	1000		1.01	51.2	
○	0.40	1250		1.01	51.2	
○	0.43	1000		0.981	48.4	
○	0.50	1000		0.911	41.6	
○	0.55	1550		0.861	37.1	
○	0.57	1550		0.841	35.6	
○	0.25	20	1000	1.02	64.5	
○	0.25		1250	1.02	64.5	
○	0.25		1550	1.02	64.5	
○	0.25		2000	1.02	64.5	
○	0.27		1250	1.00	62.0	
○	0.30		1000	0.970	58.3	
○	0.30		1500	0.970	58.3	
○	0.33		1000	0.940	54.8	
○	0.33		1250	0.940	54.8	
○	0.35		1000	0.920	52.5	
○	0.35		1250	0.920	52.5	
○	0.35		1550	0.920	52.5	
○	0.38		1250	0.890	49.1	
○	0.40		1000	0.870	46.9	
○	0.40		1550	0.870	46.9	
○	0.43		1000	0.840	43.7	
○	0.43		1550	0.840	43.7	
○	0.45		1000	0.820	41.7	
○	0.45		1250	0.820	41.7	
○	0.50		1550	0.770	36.8	

マグネステン®金網在庫表

2014/02/01現在

在庫	線径φmm	メッシュ	幅 mm	目開きmm	開孔率%	
○	0.45	22	1250	0.705	37.3	
○	0.45		1550	0.705	37.3	
○	0.21	24	1000	0.848	64.2	
○	0.21		1250	0.848	64.2	
○	0.25		1000	0.808	58.3	
○	0.30		1000	0.758	51.3	
○	0.30		1250	0.758	51.3	
○	0.30		1550	0.758	51.3	
○	0.35		1000	0.708	44.8	
○	0.35		1250	0.708	44.8	
○	0.35		1550	0.708	44.8	
○	0.40		1250	0.658	38.7	
○	0.40		1550	0.658	38.7	
○	0.30		25	1000	0.716	49.7
○	0.35		26	1000	0.627	41.2
○	0.35			1250	0.627	41.2
○	0.40	1000		0.577	34.9	
○	0.40	1550		0.577	34.9	
○	0.29	28	2000	0.617	46.3	
○	0.30		1550	0.607	44.8	
○	0.32		1000	0.587	41.9	
○	0.32		1250	0.587	41.9	
○	0.32		1550	0.587	41.9	
○	0.19	30	1000	0.657	60.2	
○	0.22		2000	0.626	54.7	
○	0.23		1250	0.617	53.1	
○	0.25		1000	0.597	49.7	
○	0.25		1250	0.597	49.7	
○	0.25		2000	0.597	49.7	
○	0.27		1000	0.577	46.4	
○	0.30		1000	0.547	41.7	
○	0.30		1250	0.547	41.7	
○	0.32		1000	0.527	38.7	
○	0.33		1250	0.517	37.3	
○	0.35		1000	0.497	34.4	
○	0.35		1250	0.497	34.4	
○	0.35		1520	0.497	34.4	
○	0.25	32	1000	0.544	46.9	
○	0.27		1550	0.524	43.6	

マグネステン[®]金網在庫表

2014/02/01現在

在庫	線径 φ mm	メッシュ	幅 mm	目開き mm	開孔率 %
○	0.29	32	1000	0.504	40.3
○	0.29		1250	0.504	40.3
△	0.29		1550	0.504	40.3
○	0.23	35	1000	0.496	46.7
○	0.25		1250	0.476	43.1
○	0.254		1250	0.472	42.3
○	0.27		1000	0.456	39.5
○	0.30		1000	0.426	34.4
○	0.30		1250	0.426	34.4
○	0.32		1550	0.406	31.3
○	0.21	36	1000	0.496	49.4
△	0.21		2000	0.496	49.4
○	0.23		1000	0.476	45.5
○	0.12	40	1000	0.515	65.8
○	0.15		1000	0.485	58.3
○	0.15		1550	0.485	58.3
○	0.18		1000	0.455	51.3
○	0.18		1250	0.455	51.3
○	0.19		1000	0.445	49.1
○	0.19		1250	0.445	49.1
○	0.21		1000	0.425	44.8
○	0.21		1250	0.425	44.8
○	0.21		1550	0.425	44.8
○	0.23		1000	0.405	40.7
○	0.25		1000	0.385	36.8
○	0.25		1250	0.385	36.8
○	0.25		1600	0.385	36.8
○	0.29		1000	0.345	29.5
○	0.30	40(綾織)	1000	0.335	27.8
○	0.17	42	1550	0.435	51.7
○	0.25		1000	0.355	34.4
○	0.25		1250	0.355	34.4
○	0.25		1550	0.355	34.4
△	0.26		1250	0.345	32.5
△	0.26		1550	0.345	32.5
○	0.17	45	1400	0.394	48.8
○	0.17		1800	0.394	48.8
○	0.21		1000	0.354	39.4
○	0.23	48	1000	0.299	31.9
△	0.232		1550	0.297	31.5

マグネステン[®]金網在庫表

2014/02/01現在

在庫	線径 φ mm	メッシュ	幅 mm	目開き mm	開孔率 %	
○	0.12	50	1000	0.388	58.3	
○	0.12		1250	0.388	58.3	
○	0.12		1550	0.388	58.3	
○	0.14		1000	0.368	52.5	
○	0.14		1250	0.368	52.5	
△	0.14		2000	0.368	52.5	
○	0.15		1000	0.358	49.7	
○	0.15		1250	0.358	49.7	
○	0.15		1530	0.358	49.7	
△	0.153		1000	0.355	48.8	
○	0.18		1250	0.328	41.7	
○	0.19		1000	0.318	39.2	
○	0.19		1550	0.318	39.2	
○	0.21		1000	0.298	34.4	
○	0.21		1250	0.298	34.4	
○	0.21		1550	0.298	34.4	
○	0.21		2500	0.298	34.4	
○	0.15		55	1000	0.312	45.6
○	0.15			1230	0.312	45.6
○	0.10		60	1000	0.323	58.3
○	0.12	1000		0.303	51.3	
○	0.12	1550		0.303	51.3	
○	0.15	1000		0.273	41.7	
○	0.15	1250		0.273	41.7	
○	0.15	1550		0.273	41.7	
○	0.15	1600		0.273	41.7	
○	0.17	1250		0.253	35.8	
○	0.173	2200		0.250	35.0	
△	0.17/0.18	1250				
○	0.18	1000		0.243	33.0	
○	0.18	1250		0.243	33.0	
○	0.18	1550		0.243	33.0	
○	0.18	2200		0.243	33.0	
○	0.19	1000		0.233	30.4	
○	0.19	1120		0.233	30.4	
△	0.19	1250		0.233	30.4	
○	0.19	1550	0.233	30.4		
○	0.14	65	1000	0.251	41.2	
○	0.152		1250	0.239	37.4	

マグネステン[®]金網在庫表

2014/02/01現在

在庫	線径φ mm	メッシュ	幅 mm	目開きmm	開孔率%
○	0.10	70	1000	0.263	52.5
○	0.12		1000	0.243	44.8
△	0.12		1220	0.243	44.8
○	0.15		1000	0.213	34.4
○	0.15		2000	0.213	34.4
△	0.153		1250	0.210	33.4
○	0.152		1550	0.210	33.6
○	0.10		80	1000	0.218
○	0.10	1550		0.218	46.9
○	0.12	1000		0.198	38.7
○	0.12	1250		0.198	38.7
○	0.14	1000		0.178	31.3
○	0.14	1550		0.178	31.3
○	0.13	83		1220	0.176
○	0.10	90	1000	0.182	41.7
○	0.13		1250	0.152	29.1
○	0.10	100	1000	0.154	36.8
○	0.10		1550	0.154	36.8
○	0.105		1250	0.149	34.4
○	0.08	120	1550	0.132	38.7
○	0.09	120(綾織)	1000	0.122	33.0
○	0.09		1525	0.122	33.0
○	0.33/0.23	24/120	1220	△	△

お問い合わせは奥谷金網製作所にお問い合わせください。
 マグネステン[®]金網は真鍋工業株式会社の特許製品です。